
















FORMIVAR® 60%	CH-Kasten Ruche Suisse (Bürki) Arnica Svizzera	Nuclei Mini Plus Warré	Zander, DNM Langstroth Segeberger National Simplex, Smith 2xWarré	Dadant 2xSimplex AZ (Alberti- Žnidarić) Commercial Deep National	2xZander 2xDNM 2xSegeberger 2xLangstroth 4xWarré
	20–25 ml/d	20–25 ml/d	20–25 ml/d	25–30 ml/d	30–50 ml/d
25–30 °C	$\frac{1}{4}$  1. 100 ml 2. 150 ml	$\frac{1}{8}$  1. 100 ml 2. 150 ml	$2 \times \frac{3}{8}$  1. 150 ml 2. 150 ml	2×1  1. 200 ml 2. 200 ml	2×1  1. 200 ml 2. 200 ml
20–25 °C	$\frac{3}{8}$  1. 100 ml 2. 150 ml	$\frac{1}{4}$  1. 100 ml 2. 150 ml	2×1  1. 150 ml 2. 150 ml	2×1  1. 200 ml 2. 200 ml	2×1  1. 200 ml 2. 200 ml
15–20 °C	$2 \times \frac{3}{4}$  1. 100 ml 2. 150 ml	$2 \times \frac{1}{2}$  1. 100 ml 2. 150 ml	2×1  1. 150 ml 2. 150 ml	2×1  1. 200 ml 2. 200 ml	2×1  1. 200 ml 2. 200 ml

d Tag, day, jour, giorno, dag

1. Erste Behandlung, first treatment, premier traitement, primo trattamento, eerste behandeling
2. Zweite Behandlung, second treatment, deuxième traitement, secondo trattamento, tweede behandeling



Verwendung von Formivar 85% wird empfohlen.
Use of Formivar 85% is recommended.
L'utilisation de Formivar 85% est recommandée.
L'uso del Formivar 85% è consigliato.

Het gebruik van Formivar 85% wordt aanbevolen.
















Verwenden Sie 2 Dochtpapiere pro Behandlung.

Use 2 paper-wicks per treatment.

Utilisez 2 papiers par traitement.

Utilizzare 2 carte per trattamento.

Gebruik 2 verdampappieren per behandeling.

FORMIVAR® 85%	CH-Kasten Ruche Suisse (Bürki) Arnica Svizzera	Nuclei Mini Plus Warré	Zander, DNM Langstroth Segeberger National Simplex, Smith 2×Warré	Dadant 2×Simplex AZ (Alberti- Žnidarič) Commercial Deep National	2×Zander 2×DNM 2×Segeberger 2×Langstroth 4×Warré
	10–15 ml/d	10–15 ml/d	15–20 ml/d	15–20 ml/d	20–30 ml/d
25–30 °C	$\frac{1}{6}$ 	$\frac{1}{6}$ 	$\frac{3}{8}$ 	$\frac{5}{8}$ 	$\frac{7}{8}$ 
	1. 50 ml 2. 100 ml	1. 50 ml 2. 100 ml	1. 75 ml 2. 100 ml	1. 100 ml 2. 200 ml	1. 100 ml 2. 200 ml
20–25 °C	$\frac{1}{8}$ 	$\frac{1}{8}$ 	$\frac{1}{2}$ 	$\frac{3}{4}$ 	1 
	1. 50 ml 2. 100 ml	1. 50 ml 2. 100 ml	1. 75 ml 2. 100 ml	1. 100 ml 2. 200 ml	1. 100 ml 2. 200 ml
15–20 °C	$\frac{1}{4}$ 	$\frac{1}{4}$ 	$\frac{5}{8}$ 	$\frac{7}{8}$ 	2x1 
	1. 50 ml 2. 100 ml	1. 50 ml 2. 100 ml	1. 75 ml 2. 100 ml	1. 100 ml 2. 200 ml	1. 100 ml 2. 200 ml

d Tag, day, jour, giorno, dag

1. Erste Behandlung, first treatment, premier traitement, primo trattamento, eerste behandeling
2. Zweite Behandlung, second treatment, deuxième traitement, secondo trattamento, tweede behandeling



Verwendung von Formivar 60% wird empfohlen.

Use of Formivar 60% is recommended.

L'utilisation de Formivar 60% est recommandée.

L'uso del Formivar 60% è consigliato.

Het gebruik van Formivar 60% wordt aanbevolen.

Verwenden Sie 2 Docht-papiere pro Behandlung.

Use 2 paper-wicks per treatment.

Utilisez 2 papiers par traitement.

Utilizzare 2 carte per trattamento.

Gebruik 2 verdamp-papieren per behandeling